USLED Always the Right Choice!

FAST TRACK

Hot Sheet Stock Report | Updated 10-15-2026

Exterior Lighting Solutions

Dorado XLR Area/Site



Catalog Number	Description	Quantity Available
QDXLR-120-50-UNVL-1-5-N-Z5	Dorado XLR | Area Light | 15,000 L | 125W | 120-277V | 5000K | 5M Lens | L70 > 125,000 Hrs | Bronze Fixture Color | No Mount Included | 5-Year Warranty	2858

Dorado XLP Area/Site



Catalog Number	Description	Quantity Available
QDXLP1-24-50-UNVL-1-3-N-Z1	Dorado XLP | Area Light | 33,000lm | 222W | 120-277VAC | 5000K | 3M Lens | Bronze | No Sensor | Slip fitter Mount for 2 3/8" Round Tenon | 10-Yar Warranty	8
QDXLP1-32-40-UNVL-1-5-N-Z3	Dorado XLP | Area Light | 44,300lm | 307W | 120-277VAC | 4000K | 5M Lens | Bronze | No Sensor | Pole Mount for Square Pole | 10-Year Warranty	40
QDXLP1-32-50-UNVL-2-5-N-Z3	Dorado XLP | Area Light | 45,400lm | 307W | 120-277VAC | 5000K | 5M Lens | White | Pole Mount for Square Pole | 10-Year Warranty	6
QDXLP1-50-30-UNVL-1-5-N-Z3	Dorado XLP | Area Light | 68,100lm | 458W | 120-277VAC | 3000K | 5M Lens | Bronze | No Sensor | Pole Mount for Square Pole | 10-Year Warranty	33
QDXLP1-50-50-UNVL-1-5-N-Z1	Dorado XLP | Area Light | 68,100lm | 458W | 120-277VAC | 5000K | 5M Lens | Bronze | No Sensor | Slip-fitter Mount for 2-3/8" Round Tenon | 10-Year Warranty	12
QDXLP1-50-50-UNVL-2-5-N-Z3	Dorado XLP | Area Light | 68,100lm | 458W | 120-277VAC | 5000K | 5M Lens | White | No Sensor | Pole Mount for Square Pole | 10-Year Warranty	10

QubeFlood Area/Site



Catalog Number	Description	Quantity Available
QF4-1-UNVL-5-50-100	QubeFlood4 Luminaire: 11,650 Lumen | 5000K | 93W | 120/277V | 5M Lens | 1000mA | Bronze	10
QF3-1-UNVH-2S-50-1050	QubeFlood3 | 10,000L | 102W | 347 - 480 V | 2S Lens | Bronze	8
QF3-1-UNVL-2S-50-1050	QubeFlood3 | 10,000L | 100W | 120 - 277 | Type 2S | Bronze	98
QF3-1-UNVL-5S-50-1050	QubeFlood3 | Bronze | Low Voltage | 5S Lens	6
QF3-2-UNVH-5S-50-1050	QubeFlood3 | 10,000L | 102W | 347 - 480V | Type 5S | White	40

QubeLot Area/Site



Catalog Number	Description	Quantity Available
QL3-BZ-UNVL-3-5-50-11-100	QubeLot3 | 12,770 Lumens | 5000K | 102W | 120/277V | Bronze | 1000mA | 3 Qube	2
QL3-BZ-UNVL-3-5-50-15-100	QubeLot3 | 17,410 Lumens | 5000K | 138W | 120/277V | Bronze | 1000mA | 3 Qube	7
QL3-GN-UNVH-4-5-40-15-115	QubeLot3 | 25,000 Lumens | 4000K | 220W | 347/480V | Green RAL 6029 | 1150mA | 4 Qube	20

QubePAK Regal3



Catalog Number	Description	Quantity Available
WPR3-UNVL-100-2-40-BZ	QubePAK Regal 3 | Wall Mount | 13,000lm | 100W | 120-277VAC | 4000K | Type 2 Lens | Dimmable | Bronze | L70 100,000 hrs Calculated | DLC Premium | 10-Year Warranty	9
WPR3-UNVL-100-2-50-BZ	QubePAK Regal 3 | Wall Mount | 13,000lm | 100W | 120-277VAC | 5000K |Type 2 Lens | Dimmable | Bronze | L70 100,000 hrs Calculated | DLC Premium | 10-Year Warranty	44
WPR3-UNVL-100-4-30-BZ	QubePAK Regal 3 | Wall Mount | 13,000lm | 100W | 120-277VAC | 3000K | Type 4 Lens | Dimmable | Bronze | L70 100,000 hrs Calculated | DLC Premium | 10-Year Warranty	4
WPR3-UNVL-37-2-30-BZ	QubePAK Regal 3 | Wall Mount | 4701lm | 37W | 120-277VAC | 3000K | Type 2 Lens | Non-Dimmable | Bronze | L70 100,000 hrs Calculated | Not DLC Approved | 10-Year Warranty	69
WPR3-UNVL-58-4-40-BZ	QubePAK Regal 3 | Wall Mount | 7695lm | 58W | 120-277VAC | 4000K | Type 4 Lens | Dimmable | Bronze | L70 100,000 hrs Calculated | DLC Premium | 10-Year Warranty	50

Hot Sheet Stock Report | Updated 10-15-2026

Decorative WallPack



Catalog Number	Description	Quantity Available
3-4046D-05-50	Wall Mount Up/Down Outdoor Cylinder LED Fixture | 1330 Lumen | 16W | 120-277V | 5000K | Black Fixture Color	72
3-5046D-05-3000K	Wall Mount Up/Down Outdoor Cylinder LED Fixture | 3200 Lumen | 34W | 120-277V | Black Fixture Color	12

QubePark Garage/Canopy



Catalog Number	Description	Quantity Available
QG2-1-UNVL-2-5M-52-0	QubePark - Parking Garage Fixture - Low Voltage	49

Interior Lighting Solutions

LSF1 Wrap Fixture



Catalog Number	Description	Quantity Available
LSF1-1-4-UNVL-25-2-40	LSF1 | 4' LED Wrap Around Fixture | Surface and Suspended | 3350lm | 25W | 120-277VAC | 4000K | L70 161,000 hrs Calculated | DLC Premium | 10-Year Warranty	307
LSF1-1-4-UNVL-29-3-T	LSF1 | 4' LED Wrap Around Fixture | Surface and Suspended | 3900lm | 29W | 120-277VAC | 2700-6500K | Smart Blu | L70 161,000 hrs Calculated | DLC Premium | 10-Year Warranty	26
LSF1-1-4-UNVL-30-2-40	LSF1 | 4' LED Wrap Around Fixture | Surface and Suspended | 3980lm | 28.8W | 120-277VAC | 4000K | L70 161,000 hrs Calculated | DLC Premium | 10-Year Warranty	179
LSF1-1-8-UNVL-50-2-40	LSF1 | 8' LED Wrap Around Fixture | Surface and Suspended | 6700lm | 51.1W | 120-277VAC | 4000K | L70 161,000 hrs Calculated | DLC Premium | 10-Year Warranty	2
LSF1-2-4-UNVL-25-2-40	LSF1 | 4' LED Wrap Around Fixture | Surface and Suspended | 14" Wide | 3350lm | 25W | 120-277VAC | 4000K | L70 161,000 hrs Calculated | DLC Premium | 10-Year Warranty	163

EcoStar3 Cabinet & Display & EcoStar4 Refrigeration Lighting



Catalog Number	Description	Quantity Available
ESRP-4EH-1-10-24-6-40-D10-C	EcoStar 4EH | Refrigeration Display Luminaire | 6-Foot Length | 1,524 L | 11W | 24V | 4000K | 10" Lense | Center Unit | Dimmable | 97,000 Hrs | DLC Listed | 10-Year Warranty	16
ESRP-4EH-1-4-24-5-50-D10-C	EcoStar 4EH | Refrigeration Display Luminaire | 5-Foot Length | 1,200 L | 9W | 24V | 5000K | 4" Lense | Center Unit | Dimmable | 97,000 Hrs | DLC Listed | 10-Year Warranty	9

Bayline High Bay



Catalog Number	Description	Quantity Available
BLN1-1-UNVL-50-70-B-90-S1	BayLine | High Bay | 15,000 L | 100 W | 120-277 V | 5000 K | 90-Degree Lens | Dimmable | Integrated Motion/Photocell Sensor Mounting Height 15' - 45' | 200,000 Hrs | DLC Premium | 10-Y	3
BLN1-1-UNVL-50-70-M-120-S1	BayLine | High Bay | 31,000 L | 205 W | 120-277 V | 5000 K | 120-Degree Lens | Dimmable | Integrated Motion/Photocell Sensor Mounting Height 15' - 45' | 200,000 Hrs | DLC Premium | 10-	18

25TH ANNIVERSARY | USLED Always the Right Choice!

FAST TRACK

Hot Sheet Stock Report | Updated 10-15-2026

Exsabay XLE High Bay



Catalog Number	Description	Quantity Available
EBXLE1-1-UNVL-110-40-E-Y-N	ExsaBay XLE | High Bay Luminaire | 24150L | 120 - 277V | 161W | 4000K | 110 - Degree | Motion Sensor | 10' Black Power Cord	3
EBXLE1-1-UNVL-90-50-C-N-N A004	ExsaBay XLE | High Bay Luminaire | 8000L | 120 - 277V | 53W | 5000K | 90 - Degree | 10' Black Power Cord	7
EBXLE1-1-UNVL-90-50-C-Y-N	ExsaBay XLE | High Bay Luminaire | 15150L | 120 - 277V | 101W | 5000K | 90 - Degree | Motion Sensor | 10' Black Power Cord	16
EBXLE1-1-UNVL-90-50-F-N-Y	ExsaBay XLE | High Bay Luminaire | 30150L | 120 - 277V | 201W | 5000K | 90 - Degree | BBU | 10' Black Power Cord	10
EBXLE1-1-UNVL-90-50-J-N-N	ExsaBay XLE | High Bay Luminaire | 58550L | 120 - 277V | 401W | 5000K | 90 - Degree | 10' Black Power Cord	2
EBXLE1-1-UNVL-90-50-K-N-N	ExsaBay XLE | High Bay Luminaire | 72150L | 120 - 277V | 481W | 5000K | 90 - Degree | 10' Black Power Cord	5
EBXLE1-TL	ExsaBay XLE1 Twist Lock	180
EBXLE1-WG-1	ExsaBay XLE | Wire Guard | For 15150L Fixture | 101W	20
EBXLE1-WG-2	ExsaBay XLE | Wire Guard | For 24150 and 30150L Fixture | 201 and 161W	60

LED Tubes



Catalog Number	Description	Quantity Available
ST1-1-UNV-4-S-35	LED Tube | 21W | 2,200 Lumen | 3500K | 100-277V	149
ST1-2-UNV-2-9A-50	LED Tube | 2' Single-Ended Type B Tube | 1,100 L | 9W | 120-277V | 5000K	18
ST1-2-UNV-3-9A-50	LED Tube | 3' Single-Ended Type B Tube | 1,390 L | 10W | 120-277V | 5000K	107
ST1-2-UNV-4-12A-35	4' LED Tube | 12.1W | 1,800 Lumen | 3500K | 100-277V | Includes Wire	6508
ST1-4-UNV-4-12A-35	4' LED Tube | 12.9W | 1,820 Lumen | 3500K | 100-277V	115
ST1-4-UNV-4-17B-40	T10 Type B LED Tube | Single Ended | 4' | 2720L | 120 - 277V | 17W | 4000K	176
ST1-7-UNV-4-10A-35-GL	T8 Type B LED Tube | Single Ended | 4' | 1800L | 120 - 277V | 10W | 3500K | Glass	710
ST1-7-UNV-4-10A-40-GL	T8 Type B LED Tube | Single Ended | 4' | 1800L | 120 - 277V | 10W | 4000K | Glass	36146
ST1-7-UNV-4-11A-35-GL	T8 Type B LED Tube | Single Ended | 4' | 1750L | 120 - 277V | 11W | 3500K | Glass	31737
ST1-7-UNV-4-12A-35	T8 Type B LED Tube | Single Ended | 4' | 1750L | 120 - 277V | 12W | 3500K	1716
ST1-7-UNV-4-13A-50	T8 Type B LED Tube | Single Ended | 4' | 1750L | 120 - 277V | 14W | 5000K	196
ST3-1-4-11A-50-P-DE-T5	T5 Type A/B LED Tube | Double Ended | 4' | 1800L | 120 - 277V | 11W | 5000K	4144
ROS1804T832WALUS-5PK	5pk 1x8 four-light recessed F32 offset Ballast cover retrofit kit: (1) offset bracket, (4) 1/4 turns, (10) Tek screws, (8) unshunted sockets, (2) End covers, (2) 4' Ballast covers	105
LS-WG-48	T8 Linear Wire Guard For Lone Star – TXS132X1FF Fixture	533
ROS-18-04-US	Recessed Retrofit Kit 2 lamps to 4 lamps w/ unshunted tombstones | (Case Qty 5)	108
KT-LED12T5HE-36GC-850-DX2	12W T5 LED | 1600lm | 12W | 120-277V | 5000K | Single- or Double-Ended Wiring	13
L16-T5-SE-3-40CG	16W, LED Linear | T5 tube | Single-Ended Power | 3FT | 4000K, Coated Glass	237
L16T5SE335-CG	16W | LED Linear | T5 tube | Single-Ended Power | 3FT | 3500K | Coated Glass	5
L16T5SE350-CG	16W, LED Linear | T5 tube | Single-Ended Power | 3FT | 5000K | Coated Glass	50
LED11T5HEL36FG850BF	T5HE Double Ended Lamp | 1500lm | 11W | 120-277V | 5000K | 3ft	20
L24T8/835/9G-ID DE	T8 tube | 24" | 9w | internal driver | double end input | 120-277V | 3500K | 1100 Lms	51
97894	T8| 3500K | 3 Foot | Medium Bi-Pin G13	3
L48T8/835/15G-XT	T8 tube | 48" | 15w | 3500K | 1800 Lms	348
10924	LED T8 Dual Mode U-Bend Replacement Lamp | 1" U-Bend | 4000K | 2000 Lumens | 13W |120-277V |	80

25TH ANNIVERSARY | USLED Always the Right Choice!

FAST TRACK

Hot Sheet Stock Report | Updated 10-15-2026

LED Bulbs



Catalog Number	Description	Quantity Available
A15FR5/830/OMNI2/LED 80197	LED A15 5.5W 3000K DIMMABLE E26 ProLED	8
S9031	LED Frosted | A15| E26| 450 Lumen | 5.5 Watt | 120V | 3000K | Damp Rating | 5 Year Limited - 10 hr per day | 25000 Hours Rated| Type A	694
57856	A19 E26 Bulb | 8.5W | 120V | 800 Lumen | 2700K | Dimmable	79
79702	Sylvania 79702 - LED8.5A19F83510YVRP A19 A Line Pear LED Light Bulb	16
8.5A19DIM/830	8.5W A19 | 3000K | Dimmable | 60W Equivalent	30
40773	Type: BR30 | E26 Base | 8W | 120V | Color: 4000 K | Dimmable |	123
LED9BR30D50K	Dimmable 9W Smooth BR30 - 5000K	91
S8021	LED Filament Bulb | 100 Lumen | 1 Watt | 120V | 2700K | Suitable for Outdoor Use | 3 Year Warranty	73
6.5MRGD930NF/JA8/G2	MR16 GU10 LED Bulb | 500 Lumen | 6.5W | 120V | 3000K | 90CRI | 25 Degree Beam Angle	6
98089	98088 |37HID LED |E26 Base | 37w | 120-277v | 5000K | 5200 Lmns | Non-Dimmable	136
70046-900-000	70046 | Medium Base |One-Piece Keyless HID | Glazed Porcelain Lampholder | Incandescent | Single Circuit | Side Wired 4KV-Pulse Rated - White	547
LH0291	E26/E27 medium base lampholder extender, extends lamp aprox. 1 1/4"	2473
HM00910	Adapter Converter Socket | 4-Pin G24q/GX24q to Medium Screw (E26)	192
LED-7319	LED-7319 | socket extender	49
7.5MR16DIM/940FL35/R	MR16| 7.5W | 4000K | 550 Lmns | Base GU5.3 | 12V | Dimmable	7
11PAR30DIM/930NF25	E26 Base| 75W| 11W| 3000K| 900L| 120V| Suitable to replace 50W, 75W, 120W halogen lamps	36
11PAR30DIM/940FL40	11W PAR30 | 4000K | 40 Degree Flood | 1030 Lumens | 120V Dimmable | 75W Equivalent	12
12.5PAR30G4DIM/930NF25/B	12.5W PAR30 | 3000K | 25 Degree Spot | Dimmable | 75W Equivalent | Black	5
12PAR30L/AMB/F40/840/DIM ULW	4000K Lamp |12W | E26 Base | Beam angle 40°|	8
74603	Par 30 | 11 watt | 5000K | 850 Lumens |	2
97902	Power: 13 W | Warm White 3000K | CRI 90 | 65/90 | Lumens 1050 | LPW 81 | Beam Angle FL 40 Degrees | CBCP 2300 | **BLACK LAMP**	6
AKTGP30BL	Par30 Short, Gimbal Ring - Prescolite - Black	48
PAR30FL11L/930/BH/LED	PAR30 Long Neck | Medium Base | PAR30FL11L/930/BH/LED | Black Housing | Dimmable | 120V | 3000K | 90 CRI | 800 Lumens | 40 Degree Spread | 75W	438
74950	LED16PAR38/DIM/850/FL40/13Y/GL/WRP	382
14.5PLH/840/DIR	4 Pin LED PL Lamp | 1,750 Lumen | 14.5W | 4000K | Ballast Compatible | 0-10V Dimming | G24q/GX24q Base	440
9.5PLO/840/DIR	Omni Directional LED Lamp | Electronic Ballasts | 120-277V |4000K | 1,200 Lumens	11
98248	17PLV/830/DIR | 42W| 1900L | 120-277V| 3000K	8
98249	42W | 120-277V | 1900L | 3500K | 82 CRI | 112 Efficacy | 120 degree beam angle | Dimmable | 50,000Hr Life	32
98253	15.5 PLH | 3500K |1750 Lumens |120-277V	39
98257	16.5PLV/835/BYP | 1850lm | 16.5W | 120-277V | 3500K | BYPASS G24d, GX24d, G24q & GX24q (2/4-pin CFL)	36
98399	8W | 2700K |80CRI | 870 Lumens | 120-277V	24
9PLO/840/HYBM	Omni Directional LED Lamp | Electronic Ballasts | 120-277V |4000K | 1,250 Lumens	3
HN-V-G24Q-B-11W-835-G4	Helen Lamp | Vertical | 4-pin CFL Socket | 11W | 3500K	27
L10V/841/BYP/LED	L10V/841/BYP/LED | 120-277 | 4100K | Lumens 1000 | watts 26/32/42	50
1408992	10PUBGULED27 | 10W | 800 Lmns | 2700K | Base GU24 | Puck Lamp	6
LED-7318-35A	LED-7318-35A | 12W | 1157 Lmns | 3500K | Non Dimmable	100





Hot Sheet Stock Report | Updated 10-15-2026

TDK/TEG Retrofit Troffer Kit



Catalog Number	Description	Quantity Available
TDK1-1-14-UNVL-25-1-35	TDK | Troffer Retrofit Kit | 1x4 | 3230L | 120 - 277V | 25W | 3500K	30
TDK1-1-14-UNVL-25-1-40	TDK | Troffer Retrofit Kit | 1x4 | 3390L | 120 - 277V | 25W | 4000K	487
TDK1-1-14-UNVL-25-1-40 B	TDK | Troffer Retrofit Kit | 1x4 | 3390L | 120 - 277V | 25W | 4000K | BBU	7
TDK1-1-14-UNVL-25-1-50	TDK | Troffer Retrofit Kit | 1x4 | 3320L | 120 - 277V | 25W | 5000K	45
TDK1-1-14-UNVL-30-1-30	TDK | Troffer Retrofit Kit | 1x4 | 3760L | 120 - 277V | 30W | 3000K	25
TDK1-1-14-UNVL-30-1-40	TDK | Troffer Retrofit Kit | 1x4 | 3910L | 120 - 277V | 30W | 4000K	353
TDK1-1-14-UNVL-30-1-50	TDK | Troffer Retrofit Kit | 1x4 | 3980L | 120 - 277V | 30W | 5000K	277
TDK1-1-22-UNVL-21-1-40	TDK | Troffer Retrofit Kit | 2X2 | 2600L | 120 - 277V | 21W | 4000K	15
TDK1-1-22-UNVL-29-3-T	TDK | Troffer Retrofit Kit | 2X2 | 3650L | 120 - 277V | 29W | 2700 - 6500K | BLU Drive Driver	54
TDK1-1-22-UNVL-30-1-30	TDK | Troffer Retrofit Kit | 2X2 | 3880L | 120 - 277V | 30W | 3000K	5
TDK1-1-24-UNVL-25-1-40	TDK | Troffer Retrofit Kit | 2X4 | 3330L | 120 - 277V | 25W | 4000K	1167
TDK1-1-24-UNVL-25-1-40 BAA	TDK | Troffer Retrofit Kit | 2X4 | 3330L | 120 - 277V | 25W | 4000K | BAA Compliant	680
TDK1-1-24-UNVL-25-1-50	TDK | Troffer Retrofit Kit | 2X4 | 3520L | 120 - 277V | 25W | 5000K	465
TDK1-1-24-UNVL-29-3-T	TDK | Troffer Retrofit Kit | 2X4 | 3900L | 120 - 277V | 29W | 2700 - 6500K | BLU Drive Driver	799
TDK1-1-24-UNVL-30-1-30	TDK | Troffer Retrofit Kit | 2X4 | 3680L | 120 - 277V | 30W | 3000K	162
TDK1-1-24-UNVL-30-1-35	TDK | Troffer Retrofit Kit | 2X4 | 3800L | 120 - 277V | 30W | 3500K	112
TDK1-1-24-UNVL-30-1-50	TDK | Troffer Retrofit Kit | 2X4 | 3910L | 120 - 277V | 30W | 5000K	200
TDK1-1-24-UNVL-30-1-50 B	TDK | Troffer Retrofit Kit | 2X4 | 3830L | 120 - 277V | 30W | 5000K | BBU	3
TDK2-1-24-UNVL-25-1-40	TDK | Troffer Retrofit Kit | 2X4 | 3330L | 120 - 277V | 25W | 4000K	3655
TDK2-1-24-UNVL-40-1-50	TDK | Troffer Retrofit Kit | 2X4 | 5200L | 120 - 277V | 40W | 5000K	307
TDK-SMK-1-14	TDK/TEG | Surface Mount Kit | 1x4	120
TDK-SMK-1-22	TDK/TEG | Surface Mount Kit | 2x2	168
TDK-SMK-1-24	TDK/TEG | Surface Mount Kit | 2x4	2349
TEG1-1-22-UNVL-25-1-50	TEG | Troffer Retrofit Kit | 2X2 | 3330L | 120 - 277V | 25W | 5000K	16
TEG1-1-24-UNVL-25-1-40 BAA	TEG | Troffer Retrofit Kit | 2X4 | 3330L | 120 - 277V | 25W | 4000K | BLU Drive Driver	10
TEG1-1-24-UNVL-25-1-50	TEG | Troffer Retrofit Kit | 2X4 | 3520L | 120 - 277V | 25W | 5000K	89
TEG1-1-24-UNVL-29-3-T	TEG | Troffer Retrofit Kit | 2X4 | 3900L | 120 - 277V | 29W | 2700 - 6500K | BLU Drive Driver	11
TEG1-1-24-UNVL-30-1-50	TEG | Troffer Retrofit Kit | 2X4 | 3910L | 120 - 277V | 30W | 5000K	24
TEG2-1-24-UNVL-25-1-40	TEG | Troffer Retrofit Kit | 2X4 | 3330L | 120 - 277V | 25W | 4000K	8

25TH ANNIVERSARY | USLED Always the Right Choice!

FAST TRACK

Hot Sheet Stock Report | Updated 10-15-2026

L-Grid Edge Extreme Flat Panel



Catalog Number	Description	Quantity Available
FTR1-14-40-80-M-FTU-UNV2-1050	L-Grid Edge Extreme | Recessed Flat Panel | 1x4 | 4,500 L | 41W | 4000K | Dimmable | 200,000 Hrs | Power Supply Included | 10-Year Warranty	17
FTR2-14-UNVL-25-35-80	L-Grid Edge Extreme XL 1x4 Flat Panel | 3385lm | 25W | 120-277V | 3500K | Dimming	95
FTR2-14-UNVL-25-40-80	L-Grid Edge Extreme XL 1x4 Flat Panel | 3385lm | 25W | 120-277V | 4000K | Dimming	23
FTR2-14-UNVL-35-50-80	L-Grid Edge Extreme XL 1x4 Flat Panel | 4345lm | 35W | 120-277V | 5000K | Dimming	16
FTR2-22-UNVL-40-35-80	L-Grid Edge Extreme XL 2x2 Flat Panel | 4990lm | 40W | 120-277V | 3500K | Dimming	8
FTR2-22-UNVL-40-40-80	L-Grid Edge Extreme XL 2x2 Flat Panel | 4990lm | 40W | 120-277V | 4000K | Dimming	12
FTR3-14-UNVL-26-SCCT	L-Grid Edge Extreme XL Select | 1x4 Backlit Flat Panel | 3561 - 5080L | 120 - 277V | 26 - 40W | 3000 - 5000K	38
FTR3-24-UNVL-32-SCCT BBU	L-Grid Edge Extreme XL Select | 2X4 Backlit Flat Panel | 4609 - 6957L | 120 - 277V | 31 - 48W | 3000 - 5000K | BBU	3

L-Grid3 Recessed Troffer



Catalog Number	Description	Quantity Available
GTR3-22-35-80-F-A-H-N	L-Grid3 | New Build | 2x2 | 5,100 L | 51 W | 120-277V | 3500K | Dimmable | Flat Diffuser | 200,000 Hrs | DLC Listed | NSF Listed | 10-Year Warranty	8
GTR3-22-35-80-V-A-H-B	L-Grid3 | New Build | 2x2 | 5,100 L | 51 W | 120-277V | 3500K | Dimmable | Volumetric Diffuser | Battery Back-Up Included | 200,000 Hrs | DLC Listed | NSF Listed | 10-Year Warranty	2
GTR3-22-40-80-F-A-H-N	L-Grid3 | New Build | 2x2 | 5,400 L | 51 W | 120-277V | 4000K | Dimmable | Flat Diffuser | 200,000 HRs | DLC Listed | NSF Listed | 10-Year Warranty	2
GTR3-22-40-80-V-A-H-N	L-Grid3 | New Build | 2x2 | 5,400 L | 51 W | 120-277V | 4000K | Dimmable | Volumetric Diffuser | 200,000 Hrs | DLC Listed | NSF Listed | 10-Year Warranty	15
GTR3-22-40-80-V-A-S-B	L-Grid3 | New Build | 2x2 | 3,800 L | 33 W | 120-277V | 4000K | Dimmable | Volumetric Diffuser | Battery Back-Up Included | 200,000 Hrs | DLC Listed | NSF Listed | 10-Year Warranty	4
GTR3-22-40-80-V-A-S-N	L-Grid3 | New Build | 2x2 | 3,800 L | 33 W | 120-277V | 4000K | Dimmable | Volumetric Diffuser | 200,000 Hrs | DLC Listed | NSF Listed | 10-Year Warranty	3

L-Grid2EH Recessed Troffer



Catalog Number	Description	Quantity Available
GTR2-22EH-50-80-UNV2-S-A-F	L-Grid2EH | 2x2 Flat Panel LED Troffer | 5010L | 120 - 277V | 42W | 5000K | Standard FL | Air Return	149

Hot Sheet Stock Report | Updated 10-15-2026

Recessed Downlights



Catalog Number	Description	Quantity Available
LTR2-1-UNV-35-12-5S-C-WH	L-Trim Sol | 5" LED Square Can | 3500K | 12.3W | 1260 Lumens | 0-10V Dimming | White | New Build	39
LTR2-1-UNV-40-15-6R-C-WH	L-Trim Sol | 6" LED Round Can | 4000K | 15.5W | 1510 Lumens | 0-10V Dimming | White | New Build	3
LTR3-1-UNV-40-18-6R-C-WH	L-TrimSol XL | New Construction and Retrofit Applications | 6" Round Can Light | 1710lm | 18.3W | 120-277VAC | 4000K | Dimmable | 5-Year Warranty	3
LTR3-1-UNV-50-37-10R-C-WH	L-TrimSol XL | New Construction and Retrofit Applications | 10" Round Can Light | 3800lm | 39.2W | 120-277VAC | 5000K | Dimmable | 5-Year Warranty	53
CLR62SWRVS9WH	6" LED Recessed Downlight Suitable for New Construction or Retrofit Applications | 1,500 Lumens | 16.4 Watts | 4000K | 120-347V	12
CLR8-10-UNV-50K-WH	8" LED Recessed Downlight Suitable for New Construction or Retrofit Applications | 2,550 Lumens | 25.7 Watts | 120-277V	3
DCR4-106-120-5K-WH	4" LED Recessed Downlight Suitable for Retrofit | 694 Lumens | 8.4 Watts | 120V | 5000K |White Finish	353
DCR56-112-120-5K-WH	6" LED Recessed Downlight Suitable for Retrofit Applications | 1,291 Lumens | 14.5 Watts | 120V (Housing Required part#LT-6-HOU)	179
DLR56-3012-120-4K-WH	DLR56 | 1230 Lmns | 120V | 18w | 4000K | White	40
DLR56-3012-120-5K-WH	5"& 6" Recessed LED Downlight - 1200 Lumen(housing not included part# LT-6-HOU)	8
E4SF-XA3060DN	Flanged 4" Square Downlight - 1856lm | 25W | 3000K | 120V | 95 CRI | 60 degree beam | Non IC Airtight	65
E4SFB-LS	4" Square Downlight Trim - Flanged | Bevel | Lensed | Satin Nickel	60
INFT6/850DIM010UNV	6" LED Can Light | Adjustable Lumen at 6W, 9W and 13W at 130 Lumens per Watt | 5000K | 120-277V | 0-10V Dimming | Wet Location Rated | 5-Year Warranty	66
INFT8/835/DIM010UNV	8" LED Can Light | Adjustable Wattage | 1045/1475/2090 Lumen | 8/12/17W | 120-277V | 3500K | 0-10V Dimming | Wet Location Rated | 5-Year Warranty	280
INFT9.5/840/DIM010UNV	9.5" LED Can Light | Adjustable Lumen at 2,100 / 2,600 / 3,500 lumens | CRI 80| 4000K | 120-277V, 0-10V (Dimmable to 5%) | Wet Location Rated | 5-Year Warranty	46
LEDRT56/R3C/900UD/9SC8	5/6" Round Generation 3C Can Light| 12 W | 900 L | 120-277V | 0-10V Dimming | 75 Lumens per Watt| Selectable CCT 3000K-5000K| Energy Star Listed	200

PAR 30



Catalog Number	Description	Quantity Available
PAR30-1-D40-11-40	US LED Par 30 Bulb: 1,070 Lumen | 4000K | 10.8W | 120V | 40 Degree Beam Angle | Black *Prelim Data*	1980

Decorative Pendants



Catalog Number	Description	Quantity Available
RFCP-1-UNVL-WH	LED Round Pendant | 120-277V | 5' Cord | E26 Base | A19 Bulb (not included) | White Fabric	314
USCP-1-UNVL-SL BK	LED Cone Pendant | 120-277V | E26 Base | A19 Bulb (not included) | Silver Finish | Black Cord	209
USDS-1-UNVL-A	LED Dome Sphere Pendant | 120-277V | E26 Base | 5W G9 Lamps (not included) | Anodized Aluminum	285
57856	A19 E26 Bulb | 8.5W | 120V | 800 Lumen | 2700K | Dimmable	79
8.5A19DIM/830	8.5W A19 | 3000K | Dimmable | 60W Equivalent	30
G9/LED/4W/CL/120V/50K	LED G9 Light Bulb | 500 lumens | 60W | 120V | 5000K | Super White| Clear Finish	256

SGM1



Catalog Number	Description	Quantity Available
PSH1-1-P-I-W-4	SGM | Indoor Driver Box | White | Plastic Cover | 100W	40
SGM1-1-40-90-60	SGM | Linear Strip Fixture | 5' | 1,100 L | 12W | 120-277V | 4000K | 7-Year Warranty *No Driver Included PSH1-1-P-I-W-4*	101

Hot Sheet Stock Report | Updated 10-15-2026

LMU1



Catalog Number	Description	Quantity Available
LMU1-1-12-36-40-80-Y6	LMU | Undershelf Task Light | 3' | 1,350 L | 13W | 120V | 4000K | 80 CRI | Integrated Occupancy Sensor 6 Minute Delay | Power Source Not Included | 7-Year Warranty	5342
PWW-1-24-20	Wall Mount AC Adapters Wall Plug-In Power Supply, Switch Mode, Fixed Blade, 100-240VAC Input, 24V Output, 0.50A, Positive, Level VI	996

TCK Troffer Conversion Kit



Catalog Number	Description	Quantity Available
TCK1-1-2-UNVL-18-2-40	TCK | Troffer Conversion Kit | 2x2 | 2,360 L | 18.5W | 120-277V | 4000K | Dimmable | 161,000 Hrs | Diffused Lens Included |7-Year Warranty	476
TCK1-1-2-UNVL-25-2-40	TCK | Troffer Conversion Kit | 2x2 | 3,100 L | 25.2W | 120-277V | 4000K | Dimmable | 161,000 Hrs | Diffused Lens Included |7-Year Warranty	420
TCK1-1-4-UNVL-30-2-40	TCK | Troffer Conversion Kit | 2x4 | 3,830 L | 30W | 120-277V | 4000K | Dimmable | 161,000 Hrs | Diffused Lens Included |7-Year Warranty	16

PJF1 PJF2 Linear Strip



Catalog Number	Description	Quantity Available
PJF1-1-2-1-17-iD-40-D	PJF1 2' Strip Fixture | Surface and Suspended | 2340lm | 16.7W | 120-277VAC | 4000K | White | Dimmable | L70 161,000 hrs Calculated | DLC Premium | 10-YearWarranty	45
PJF1-1-4-1-25-iD-40-D	PJF1 4' Strip Fixture | Surface and Suspended | 3600lm | 25.3W | 120-277VAC | 4000K | White | Dimmable | L70 161,000 hrs Calculated | DLC Premium | 10-Year Warranty	155
PJF1-1-4-1-25-ID-40-D 1 B	PJF1 4' Strip Fixture | Surface and Suspended | 3600lm | 25.3W | 120-277VAC | 4000K | White | Dimmable | Battery Back Up | Sensor | L70 161,000 hrs Calculated | 10-Year Warranty	50
PJF1-1-4-1-25-iD-50-D	PJF1 4' Strip Fixture | Surface and Suspended | 3660lm | 25.3W | 120-277VAC | 5000K | White | Dimmable | L70 161,000 hrs Calculated | DLC Premium |10-Year Warranty	2
PJF1-1-4-1-30-B-T-D B	PJF1 4' Strip Fixture | Surface and Suspended | 4000lm | 30W | 120-277VAC | 2700-6500K | White | Dimmable | Smart Blu | Integrated BBU | L70 161,000 hrs | 10-Year Warranty	6
PJF1-1-4-1-35-iD-40-D	PJF1 4' Strip Fixture | Surface and Suspended | 4860lm | 34.7W | 120-277VAC | 4000K | White | Dimmable | L70 161,000 hrs Calculated | DLC Premium | 10-Year Warranty	88
PJF1-1-4-1-35-iD-50-D 1 B	PJF1 4' Strip Fixture | 4860 Lumens | 34.7 Watt| 120-277V | 5000K | White | With Integrated Battery Back Up | With Sensor	4
PJF1-1-4-1-35-iD-50-D DH	PJF1 4' Strip Fixture | Surface and Suspended | 4860lm | 34.7W | 120-277VAC | 5000K | White | Occ Sensor Daylight Harvesting | L70 161,000 hrs | 10-Year Warranty	2
PJF1-1-4-X-35-iD-40-O	PJF1 4' Strip Fixture | 4860 Lumens | 34.7 Watt| 120 Volt | 4000K | White	3
PJF1-1-8-1-60-B-T	PJF1 8' Strip Fixture | 8680 Lumens | 60 Watt| 120-277 Volt |2700-6500K | White | Dimmable | Blu-Drive	8
PJF1-1-8-1-60-iD-50-D	PJF1 8' Strip Fixture | Surface and Suspended | 8680lm | 60W | 120-277VAC | 5000K | White | Dimmable | L70 161,000 hrs Calculated | DLC Premium | 10-Year Warranty	12

Signage Solutions

PDX Modules



Catalog Number	Description	Quantity Available
PDX1-2-12-B	PDX Module | Blue | 8.5 Lumens | 1.15 Watt | High Flux | 2 Modules per Foot	3194
PDX1-2-12-G	PDX Module | Green | 27.5 Lumens | 0.36 Watt | High Flux | 2 Modules per Foot	5280
PDX1-2-12-O	PDX Module | Orange | 30 Lumens | 1.45 Watt | High Flux | 2 Modules per Foot	400
PDX1-2-12-50	PDX Module | 85L | 12V | 1W | 5000K | High Flux | 2 Modules per ft	472
PDX1-2-12-65	PDX Module | 90L | 12V | 1W | 6500K | High Flux | 2 Modules per ft	257

Point XL & XLP



Catalog Number	Description	Quantity Available
PXL-2-12-W40	Point XL Module | 100 Lumen | 1W | 12V | 4000K | 1.5 Modules Per Foot	1102
PXL-2-12-W50	Point XL Module | 100 Lumen | 1W | 12V | 5000K | 1.5 Modules Per Foot	1340
PXLP-2-12-W50	Point XLP Module | Channel Letter Lighting | 100L | 12V | 1W | 5000K | 1.5 Modules per ft	540

Hot Sheet Stock Report | Updated 10-15-2026

Saver XL



Catalog Number	Description	Quantity Available
SXL-1-12-W40	Saver XL Module | Channel Letter Lighting | 50L | 12V | 1W | 4000K | 2 Modules per ft	952
SXL-1-12-W50	Saver XL Module | Channel Letter Lighting | 50L | 12V | 1W | 5000K | 2 Modules per ft	9176
SXL-1-12-G	Saver XL Module | Channel Letter Lighting | 12V | 1W | 2 Modules per ft | Green	1500
SXL-1-12-O	Saver XL Module | Channel Letter Lighting | 12V | 1W | 2 Modules per ft | Orange	1270
SXL-1-12-R	Saver XL Module | Channel Letter Lighting | 12V | 1W | 2 Modules per ft | Red	1115

TX1 Custom and Tube Length Kits



Catalog Number	Description	Quantity Available
TX1-6-24-D-8-48-65	TDX | Sign Cabinet Lighting Retrofit Kit | 4' | 6500K | 8 Modules | Double Sided	13
TX1-6-24-D-8-60-50	TDX | Sign Cabinet Lighting Retrofit Kit | 57.91" | 5000K | 8 Modules | Double Sided	6
TX1-6-24-D-8-72-50	TDX | Sign Cabinet Lighting Retrofit Kit | 69.91" | 5000K | 8 Modules | Double Sided	2
TX1-6-24-S-2-30-65	TDX | Sign Cabinet Lighting Retrofit Kit | 27.91" | 6500K | 2 Modules | Single Sided	5
TX1-6-24-S-4-48-65	TDX | Sign Cabinet Lighting Retrofit Kit | 4' | 6500K | 4 Modules | Single Sided	17
TX1-6-24-S-4-72-50	TDX | Sign Cabinet Lighting Retrofit Kit | 69.91" | 5000K | 4 Modules | Single Sided	12
TX1-6-24-S-5-84-50	TDX | Sign Cabinet Lighting Retrofit Kit | 81.91" | 5000K | 5 Modules | Single Sided	8
TX1-6-24-S-6-96-50	TDX | Sign Cabinet Lighting Retrofit Kit | 93.91" | 5000K | 6 Modules | Single Sided	8
TX1L-1-24-D-3-42-W	TX1L | Sign Cabinet Lighting Retrofit Kit | 42" | 2400L | 24V | 6500K | 3 Modules | Double Sided	12
TX1L-1-24-D-4-60-W	TX1L | Sign Cabinet Lighting Retrofit Kit | 60" | 3200L | 24V | 6500K | 4 Modules | Double Sided	10
TX1L-1-24-D-5-72-W	TX1L | Sign Cabinet Lighting Retrofit Kit | 72" | 4000L | 24V | 6500K | 5 Modules | Double Sided	48
TX1L-1-24-D-6-84-W	TX1L | Sign Cabinet Lighting Retrofit Kit | 84" | 4800L | 24V | 6500K | 6 Modules | Double Sided	5
TX1L-1-24-D-6-96-W	TX1L | Sign Cabinet Lighting Retrofit Kit | 96" | 4800L | 24V | 6500K | 6 Modules | Double Sided	40
TX1L-1-24-S-4-48-W	TX1L | Sign Cabinet Lighting Retrofit Kit | 48" | 1600L | 24V | 6500K | 4 Modules | Single Sided	9
TX1L-4-24-D-4-48-W	TX1L | Sign Cabinet Lighting Retrofit Kit | 48" | 24V | 6500K | 4 Modules | Double Sided	4
TX1L-4-24-D-4-48-W50	TX1L | Sign Cabinet Lighting Retrofit Kit | 48" | 24V | 5000K | 4 Modules | Double Sided	47
TX1L-4-24-S-4-48-W	TX1L | Sign Cabinet Lighting Retrofit Kit | 48" | 24V | 6500K | 4 Modules | Double Sided	3